

Figure 1

09776620 020201






Figure 3

Parameter	Value	Unit
Temperature	25.0	°C
Pressure	1.0	atm
Flow rate	1.0	L/min
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	10	s
Resolution	0.5	nm
Reproducibility	0.5	%
Stability	0.5	%
Linearity	0.5	%
Detection limit	0.5	ng/L
Quantification limit	0.5	ng/L
Recovery	0.5	%
Matrix effect	0.5	%
Inter-day precision	0.5	%
Intra-day precision	0.5	%
Accuracy	0.5	%
Robustness	0.5	%
Specificity	0.5	%
Stability	0.5	%
Linearity	0.5	%
Detection limit	0.5	ng/L
Quantification limit	0.5	ng/L
Recovery	0.5	%
Matrix effect	0.5	%
Inter-day precision	0.5	%
Intra-day precision	0.5	%
Accuracy	0.5	%
Robustness	0.5	%
Specificity	0.5	%
Stability	0.5	%
Linearity	0.5	%
Detection limit	0.5	ng/L
Quantification limit	0.5	ng/L
Recovery	0.5	%
Matrix effect	0.5	%
Inter-day precision	0.5	%
Intra-day precision	0.5	%
Accuracy	0.5	%
Robustness	0.5	%
Specificity	0.5	%
Stability	0.5	%
Linearity	0.5	%
Detection limit	0.5	ng/L
Quantification limit	0.5	ng/L
Recovery	0.5	%
Matrix effect	0.5	%
Inter-day precision	0.5	%
Intra-day precision	0.5	%
Accuracy	0.5	%
Robustness	0.5	%
Specificity	0.5	%
Stability	0.5	%
Linearity	0.5	%
Detection limit	0.5	ng/L
Quantification limit	0.5	ng/L
Recovery	0.5	%
Matrix effect	0.5	%
Inter-day precision	0.5	%
Intra-day precision	0.5	%
Accuracy	0.5	%
Robustness	0.5	%
Specificity	0.5	%
Stability	0.5	%
Linearity	0.5	%
Detection limit	0.5	ng/L
Quantification limit	0.5	ng/L
Recovery	0.5	%
Matrix effect	0.5	%
Inter-day precision	0.5	%
Intra-day precision	0.5	%
Accuracy	0.5	%
Robustness	0.5	%
Specificity	0.5	%
Stability	0.5	%
Linearity	0.5	%
Detection limit	0.5	ng/L
Quantification limit	0.5	ng/L
Recovery	0.5	%
Matrix effect	0.5	%
Inter-day precision	0.5	%
Intra-day precision	0.5	%
Accuracy	0.5	%
Robustness	0.5	%
Specificity	0.5	%
Stability	0.5	%
Linearity	0.5	%
Detection limit	0.5	ng/L
Quantification limit	0.5	ng/L
Recovery	0.5	%
Matrix effect	0.5	%
Inter-day precision	0.5	%
Intra-day precision	0.5	%
Accuracy	0.5	%
Robustness	0.5	%
Specificity	0.5	%
Stability	0.5	%
Linearity	0.5	%
Detection limit	0.5	ng/L
Quantification limit	0.5	ng/L
Recovery	0.5	%
Matrix effect	0.5	%
Inter-day precision	0.5	%
Intra-day precision	0.5	%
Accuracy	0.5	%
Robustness	0.5	%
Specificity	0.5	%
Stability	0.5	%
Linearity	0.5	%
Detection limit	0.5	ng/L
Quantification limit	0.5	ng/L
Recovery	0.5	%
Matrix effect	0.5	%
Inter-day precision	0.5	%
Intra-day precision	0.5	%
Accuracy	0.5	%
Robustness	0.5	%
Specificity	0.5	%
Stability	0.5	%
Linearity	0.5	%
Detection limit	0.5	ng/L
Quantification limit	0.5	ng/L
Recovery	0.5	%
Matrix effect	0.5	%
Inter-day precision	0.5	%
Intra-day precision	0.5	%
Accuracy	0.5	%
Robustness	0.5	%
Specificity	0.5	%
Stability	0.5	%
Linearity		

8	7	6	5	4	3	2	1
Redundancy		Time Stamp					
RES		Signal Level (0 to -31dBm0)					
Digit Type		Digit Code (0, 1, 2, ..., b, c, d)					
Message Type = 000010							
CRC-10							

Figure 4

FOUO 0299260




Figure 5

FO2020-0299260






Figure 6

Figure 7

T02020 02997200

Figure 8






Figure 9